



www.werthercompressors.com



w e r t h e r
SIL-AIR

Black Widow - Black Widow E

NEW



36.8 l/min - 1.3 CFM

8 bar - 116 psi

Compressore a secco "low noise"

Oil-less, low noise compressor

Compresseur à sec insonorisé

Ölfreier Kompressor mit extra-niedrigem Lärmpegel

Compressor s n aceite "bajo ruido"



Black Widow only

								Servizio Duty cycle
Volt/Hz	l/min (CFM)	bar (PSI)	Watt	l (Gal.)	dbA	Kg (Lbs)	l/min (CFM) *	
230/50 115/60	36.8 (1.3) 45 (1.6)	8 (116)	270 325	3.5 (0.9)	55	12 (26.5)	21.3 (0.76) 25 (0.9)	100%

* = @ 5 bar (72.5 PSI)

	A mm	B mm	C mm
	230	380	390

Black Mamba - Black Mamba E

NEW



92 l/min - 3.25 CFM

7 bar - 101 psi

Compressore a secco "low noise"

Oil-less, low noise compressor

Compresseur à sec insonorisé

Ölfreier Kompressor mit extra-niedrigem Lärmpegel

Compresor sïn aceite "bajo ruido"



Black Mamba only

								Servizio Duty cycle
Volt/Hz	l/min (CFM)	bar (PSI)	Watt	l (Gal.)	dbA	Kg (Lbs)	l/min (CFM) *	
230/50 115/60	92 (3.25) 111 (3.96)	7 (101)	501 572	3.5 (0.9)	56	15 (33.1)	52 (1.86) 61.5 (2.2)	100%

* = @ 5 bar (72.5 PSI)

	A mm	B mm	C mm
	230	440	390

Baby Mamba - Baby Mamba E

NEW



92 l/min - 3.25 CFM

7 bar - 101 psi

Compressore a secco "low noise"

Oil-less, low noise compressor

Compresseur à sec insonorisé

Ölfreier Kompressor mit extra-niedrigem Lärmpegel

Compresor sïn aceite "bajo ruido"



Baby Mamba only

Baby Mamba Trolley



Volt/Hz	l/min (CFM)	bar (PSI)	Watt	l (Gal.)	dba	Kg (Lbs)	l/min (CFM)*
230/50	92 (3.25)	7 (101)	450	3.5 (0.9)	56	18 (39.6)	49 (1.75)
115/60	88 (3.14)		520			17 (37.5)	41 (1.46)

* = @ 5 bar (72.5 PSI)

	A mm	B mm	C mm
	230	440	390

Double Mamba white

NEW



180 l/min - 6.3 CFM

8 bar - 116 psi

Compressore a secco "low noise"

Oil-less, low noise compressor

Compresseur à sec insonorisé

Ölfreier Kompressor mit extra-niedrigem Lärmpegel

Compresor sin aceite "bajo ruido"

Modello portatile con serbatoio 6 litri

Portable model with 6-l air receiver

Modèle portatif avec réservoir 6 litres


Tragbares Modell 6-l-Druckbehälter

Modelo portátil con depósito de 6 litros

Volt/Hz	l/min (CFM) *	l (Gal.)	Watt	dBA	Kg (Lbs)	Kg (Lbs)
230/50	130 (4.64)	6 (1.6)	775	57	42 (93)	57 (126)

* = @ 3.5 bar (50 PSI)

	A mm	B mm	C mm
	440	440	460



Serbatoio verniciato (inox in opzione)
Coated air receiver (stainless steel as option)
Réservoir verni (inox en option)
Druckbehälter beschichtet (optional aus Inox)
Cisterna barnizada (inox en opción)



WERTHER INTERNATIONAL S.p.A.
Via F. Brunelleschi, 12 - 42124 Cadè (RE) Italy
Tel. ++39 0522 943131 - ++39 346 9837325 - ++39 346 9837443 - Fax ++39 0522 941997
e-mail: compressors@wertherint.com
www.werthercompressors.com