



## Content

- 5 Applications
- 6 Performance Overview
- 10 Products
- 14 Controls & Accessories
- 17 Projects
- 20 Service & Rental Solutions





For your local contact please visit our website www.sauercompressors.com

# Comprehensive industry expertise


With over 90 years of experience in compressor technology, we know the challenges our customers are facing all over the world. As a global company we keep local requirements in mind: Our companies and partners around the globe know the particular demands in each area and provide exactly the right solutions and services to meet them. Our support knows neither business hours nor time zones - we are available whenever we are needed.

### SAUER – High-pressure know-how from Germany

Our headquarters in Kiel, Germany, serves as the centre of excellence for our renowned SAUER-range of piston compressors. The oil-lubricated machines are available for final pressures up to 500 barg and designed for continuous operation. The reciprocating models allow compression in up to five stages. A total of up to six cylinders are mounted in a star, V or W arrangement. The compressors are the ideal solution for operation at atmospheric suction pressure or to be used as gas-tight boosters with suction pressures up to 25 barg.

### - World leading oil-free piston compressors – Made in Switzerland

HAUG compressors are the first choice when it comes to demanding applications that require maximum process purity and safety. The dry-running machines are completely oil-free and hermetically gas-tight, preventing gas contamination. The modular and tailor-made design helps to achieve final pressures up to 450 barg. High-tech innovations, such as a non-contact magnetic coupling and the high-pressure piston design NanoLoc, add to the compressors' outstanding performance.



# You name the gas – we provide the solution!

Through the comprehensive know-how of renowned brands like SAUER and HAUG, we are able to meet the requirements of virtually any gas. Even if a particular medium is not listed in the overview, customers are welcome to contact us – if there is no "off-the-shelf"-product to suit their needs, we provide individual custom solutions.

		B			SAUI	ER							
	Pluto	/////Mercure	IIIINeptune	///// Sirius	//////////////////////////////////////	/////Passat	//// Breeze	///// Tornado	///// Hurricane	IIIII Orkan	IIII Typhoon	////5000 series	////6000 series
Air	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
CDA (Clean Dry Air)	✓	✓	✓	✓	_	_	_	_	_	_	_	_	_
Nitrogen N <sub>2</sub>	✓	✓	✓	✓	✓	✓	_	✓	✓	✓	✓	✓	✓
Oxygen O <sub>2</sub>	✓	✓	✓	✓	_	_	_	_	_	_	_	_	_
Helium He	✓	✓	✓	✓	✓	✓	_	✓	✓	✓	✓	✓	✓
Argon Ar	✓	✓	✓	✓	✓	✓	_	✓	✓	✓	✓	✓	✓
Hydrogen H₂	_	✓	✓	✓	-	_	_	✓	✓	✓	_	_	✓
Synthesis Gas	_	_	✓	✓	_	_	_	_	_	_	_	_	_
Natural Gas CH₄	_	✓	✓	✓	_	✓	_	✓	✓	✓	_	_	✓
SF <sub>6</sub>	✓	✓	✓	✓	_	_	_	_	_	_	_	_	_
Refrigerant Gases	✓	✓	✓	✓	-	-	_	-	-	-	_	_	-
Carbon Monoxide CO	_	_	✓	✓	-	-	_	_	-	-	_	_	-
Carbon Dioxide CO <sub>2</sub>	✓	✓	✓	✓	-	-	_	-	-	-	-	-	-
Gas Mixtures and Special Gases	✓	✓	<b>✓</b>	✓	_	_	_	_	_	_	_	_	_

# **Products - Performance Overview**

Our compressors are as diverse as our customers' requirements. We provide high-quality compressed air and gas solutions in various capacities and pressure ranges to meet the particular demands of a great number of industries and applications.



oil-lubricated, hermetically gas-tight





oil-free, dry-running and hermetically gas-tight

# Air Compressor Range

### Low and Medium Pressure

	Final Pressure	Max. Power
	[barg]	[kW]
<b>   </b> Mistral	10 - 40	3.0 - 18.5
/////Passat	10 - 80	15.0 - 55.0
Breeze	10 - 40	37.0 - 90.0
/////Typhoon	10 – 100	15.0 - 90.0
/////6000 series	10 – 100	132.0 – 230.0
///// Cygnus	5 - 30	0.37 – 2.2
IIIII Taurus	5 - 60	4.0 - 11.0
/////Orion	5 - 60	11.0 - 30.0
/////Sirius	10 – 100	7.5 – 30.0






### **High and Highest Pressure**

	Final Pressure [barg]	Max. Power [kW]
<b>     </b> Tornado	150 – 400	5.5 – 15.0
Hurricane	150 – 400	11.0 – 55.0
///// Orkan	150 – 500	90.0 – 110.0
5000 series	150 – 350	20.0 - 75.0
////6000 series	100 – 500	132.0 – 230.0
///// Sirius	100 – 450	11.0 – 30.0

# Volume Flow Range [m³/h]




1000 m<sup>3</sup>/h

1000 m<sup>3</sup>/h

# Air and Nitrogen Booster Range


### **Low and Medium Pressure**

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
/////Mistral	4 – 8	10 – 40	7.5 – 21.5
/////6000 series	4 – 16	10 – 100	132.0 - 230.0
/////Pluto	max. 20	10 – 60	0.55 – 2.2
/////Mercure	max. 15	10 – 100	3.0 – 5.5
/////Neptune	max. 13	10 – 100	2.2 – 7.5
/////Sirius	max. 30	10 – 100	7.5 – 30.0



### **High and Highest Pressure**

	Inlet Pressure	Final Pressure	Max. Power
	[barg]	[barg]	[kW]
<b>     </b> Tornado	3 – 5	150 – 350	5.5 – 8.7
/////Hurricane	3 – 8	150 – 350	15.0 – 30.0
IIIII Orkan	4 – 7	150 – 350	90.0 – 110.0
////6000 series	5 – 10	100 – 350	132.0 – 230.0
///// Sirius	max. 30	100 – 450	11.0 – 30.0




# Hydrogen Compressor Range

### Low and Medium Pressure

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]	Volume Flow Range [m³/h]
/////Mercure	max. 15	10-100	3.0 – 5.5	5 – 70
/////Neptune	max. 13	10-100	2.0 – 7.5	5 – 100
///// Sirius	max. 30	10-100	7.5 – 30.0	100 – 400
				200 400 600 800
High and H	ighest Pressure			
	Inlet Pressure	Final Pressure	Max. Power	Volume Flow Range

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
/////Hurricane	0.05-0.2	150 – 350	15.0 – 38.0
/////6000 series	0.05- 20	100 – 350	132.0 – 230.0
/////Sirius	max. 30	100 – 450	11.0 - 30.0



600


Conversion of volume flow into kg/h: 1  $m^3/h$  (20°C, 1,013 hPa) = 0.083 kg/h


400

# Helium Compressor Range

### **Low and Medium Pressure**


	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
/////Passat	0.05	10 - 40	15.0 - 55.0
/////6000 series	0.05 – 16	10 – 350	132.0 – 230.0
///// Pluto	max. 20	10 – 50	0.55 – 2.2
/////Mercure	max. 15	10 – 80	3.0 – 5.5
///// Neptune	max. 13	10 – 100	2.2 – 7.5
///// Sirius	max. 30	10 – 100	7.5 – 30.0






### **High and Highest Pressure**

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
<b>     </b> Tornado	0.05	150 – 230	5.5 – 15.0
Hurricane	0.05	150 – 230	11.0 – 55.0
<mark>   </mark> Orkan	0.05	150 – 350	90.0 – 110.0
/////6000 series	0.05 – 16	100 – 350	132.0 – 230.0
/////Sirius	max. 30	100 – 450	7.5 – 30.0







# Oxygen Compressor Range

### Low and Medium Pressure

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
/////Pluto	max. 20	10 – 30	0.55 – 2.2
/////Mercure	max. 15	10 – 30	3.0 – 5.5
///// Neptune	max. 13	10 – 30	2.2 – 7.5
///// Sirius	max. 16	10 – 30	7.5 – 30.0






# **CNG Compressor Range**

### **Low and Medium Pressure**

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
/////Passat	0.05	10 – 40	15.0 – 55.0
/////Pluto	max. 20	10 – 60	0.55 – 2.2
/////Mercure	max. 15	10 – 100	3.0 - 5.5
///// Neptune	max. 13	10 – 100	2.2 - 7.5
/////Sirius	max. 30	10 – 100	7.5 – 30.0




Volume Flow Range

Volume Flow Range

### **High and Highest Pressure**


	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
<mark>   </mark> Tornado	0.05	150 – 350	5.5 – 15.0
Hurricane	0.05	150 – 350	11.0 - 55.0
Orkan	1.5 – 7	100 – 350	90.0 – 110.0
/////6000 series	0.05 – 25	100 – 350	132.0 – 230.0
///// Sirius	max. 30	100 – 450	7.5 - 30.0



# Gas Mixtures & Special Gases Compressor Range


### **Low and Medium Pressure**

	Inlet Pressure [barg]	Final Pressure [barg]	Max. Power [kW]
/////Pluto	max. 20	10 – 60	0.55 - 2.2
/////Mercure	max. 15	10 – 100	3.0 - 5.5
/////Neptune	max. 13	10 – 100	2.2 - 7.5
///// Sirius	max. 30	10 – 100	7.5 – 30.0



### **High and Highest Pressure (on request)**

	Inlet Pressure	Final Pressure	Max. Power
	[barg]	[barg]	[kW]
///// Sirius	max. 30	100 – 450	7.5 – 30.0



# Modular design for maximum versatility


# **SAUER** compressors

Due to their modular design, our SAUER compressors can easily be expanded to accommodate specific requirements – from the affordable "Basic"-variants to complete systems, consisting of a sound-proof canopy, an integrated SAUER compressor control, a condensate management and an integrated high-pressure adsorption dryer.

### SAUER Basic variants

	//////////////////////////////////////	//////Passat	///// Breeze	IIIII Tornado	//////////////////////////////////////	IIIII Orkan	IIII Typhoon	IIII 5000 series	IIII 6000 series
Basic	✓	✓	✓	✓	✓	✓	✓	✓	✓
BasBooster	✓	<b>✓</b>	-	<b>✓</b>	✓	-	✓	✓	_
BasSeal <sup>He</sup>	-	✓	-	-	✓	✓	-	_	✓
BasSeal <sup>CNG</sup>	_	<b>✓</b>	_	_	<b>✓</b>	<b>✓</b>	_	_	✓







SAUER ///// Orkan WP5173LHH Basic


Basic Air compressor with e-motor
BasBooster Nitrogen booster with e-motor

**BasSeal**<sup>re</sup> Hermetically gas-tight helium compressor with e-motor **BasSeal**<sup>cNG</sup> Hermetically gas-tight CNG compressor with e-motor

### SAUER Complete variants

	//////////////////////////////////////	//////////////////////////////////////	//// Breeze	/////Tornado	//////////////////////////////////////	IIII Orkan	IIII Typhoon	IIII 5000 series	IIII 6000 series
ComSilent	✓	✓	-	✓	✓	-	-	-	-
ComControl	<b>✓</b>	<b>✓</b>	✓	✓	✓	✓	✓	_	_
ComBooster	✓	✓	-	✓	✓	-	_	-	-
ComSeal <sup>He</sup>	_	✓	_	✓	✓	_	_	_	_







SAUER /////Tornado WP 3215 ComBooster

ComSilent ComControl Air compressor with e-motor in sound proof canopy incl. SAUER electronic compressor control

Compressor with e-motor on base frame

(mounted, wired incl. control panel and condensate demister)

ComBooster ComSeal He

Nitrogen booster with e-motor in sound proof canopy incl. SAUER electronic compressor control Hermetically gas-tight helium compressor with e-motor in sound proof canopy incl. SAUER

electronic compressor control


# Maximum process purity and safety

# 

## compressors

Oil-free, dry-running & hermetically gas-tight: these remarkable features characterise HAUG compressors. All HAUG series are available in different variants, ranging from compressor blocks for OEM customers up to complex solutions according to customer's specifications including controls, sound proof canopies, storage systems and many more.

Based on a flexible modular concept, all compressor types can be configured exactly to the customer' demands.



	///// Cygnus	IIII Taurus	///// Orion	///// Pluto	/////Mercure	///// Neptune	///// Sirius
Block	<b>✓</b>	-	-	✓	✓	✓	✓
Incomplete	<b>✓</b>	_	_	✓	✓	✓	✓
Basic	<b>✓</b>	<b>✓</b>	✓	_	_	_	_
BasSeal	_	_	_	✓	✓	✓	✓









**Block** Air/Gas compressor block with e-motor (excl. piping and coolers) **Incomplete** Air/Gas compressor block with e-motor (incl. piping and coolers)

Basic Air compressor with e-motor (incl. piping, coolers, instrumentation, wiring and connection box)

BasSeal Gas compressor with e-motor (incl. piping, coolers, instrumentation, wiring and connection box)

## Complete variants

	IIII Cygnus	///// Taurus	IIII Orion	IIII Pluto	/////Mercure	//////Neptune	IIII Sirius	
ComControl	✓	✓	✓	✓	✓	✓	✓	
Package	<b>✓</b>	✓	<b>✓</b>	✓	✓	✓	<b>✓</b>	





**Package** 

ComControl Air/Gas compressor module (incl. instrumentation and electronic compressor control) Customised solution with features such as sound proof canopies, container installation, storage systems and many more.

### NanoLoc high-pressure variants

	///// Cygnus	///// Taurus	IIII Orion	IIII Pluto	/////Mercure	/////Neptune	IIII Sirius
NanoLoc	_	-	_	-	-	-	✓

Due to the unique NanoLoc piston design, final pressures up to 450 barg are possible.





## **Controls**

### SAUER ecc 4.0: State-of-the-art compressor control

We pride ourselves on being a single-source manufacturer of both the compressor and the control unit. Even the software is developed in-house. This allows for the best possible performance, maximum compatibility and easy integration. Equipped with state-of-the-art microprocessors and communication technology, our intelligent controls enable highly accurate monitoring and control of compressed air and gas generation and supply. In this way, operators can rest assured that the system is running at maximum efficiency at all times.

- Compressor, control and software from a single source
- Compatible with all standard interfaces
- Easy integration and operation
- Expandable and ready for a smart future



- √ Fully automatic compressor control
- PPLC (pre-programmed logic control) for simple operation
- ✓ Modular system with easy extensibility
- √ 7" resistive, industrial touch display
- ✓ Intuitive interface design acc. to DIN EN ISO 9241-110:2006
- ✓ Intelligent maintenance instructor
- Embedded guides for fast parameter setting and safe updates


### Maximum connectivity

- Compatible with all state-of-the-art bus technologies, e.g. Profibus and Modbus
- Standard potential-free contacts like Running, Off and Master Fault
- Easy integration into higher level controls, e.g. plant controls
- Complete monitoring ensures outstanding performance and minimum down time

## **Master Controls**

### Connectivity: Control management of up to 8 compressors in a single network

With the SAUER ecc 4.0 it is possible to connect a total of eight SAUER compressors via the intergrated Modbus protocol. In this case, a single controller takes over the master function so that no separate master control is needed. Overall optimisation of the system can be achieved via lead-lag control, by priority setting or through operation within a pressure band. To create detailed schedules, the control comes with an easy-to-use table function.



### Connection to an external SCADA system

SAUER ecc 4.0 units can be connected to an external master control, e.g. SCADA, via common communications protocols. The controller comes with an integrated Modbus gateway. Other protocols such as Profibus or DeviceNet are also available. This type of protocol enables all important data, such as pressure and temperature, to be displayed on the SCADA system. This ensures the network's safe operation and helps to optimise costs and availability.

## **Accessories**











### Air and gas treatment

In addition to our compressors, we offer a wide range of downstream equipment, such as filters for air and gas purification as well as refrigeration and desiccant type dryers. These solutions are available for pressures ranging from 40 to 400 barg.

- SAUER Refrigeration Dryers (SRD)
- SAUER Desiccant Dryers (SDD)

### Condensate management

To prevent traces of oil and other contaminants from being released into the environment, we provide a variety of condensate collection pots for use with our oil-lubricated compressors.

### Air and gas storage

When it comes to storing the compressed media, Sauer customers can choose from a variety of options. The portfolio includes both vertical and horizontal pressure vessels for pressures up to 40 barg as well as high-pressure cylinder racks with capacities of up to 600 l for pressures up to 350 barg.

- SAUER BasRack 2-12
- SAUER PureRack 2-12

### Air and gas distribution

To ensure optimal air and gas distribution, the right pressure is essential. Our efficient Reduflex pressure reducing stations offer maximum reliability and present the ideal addition to any compressor station.

SAUER Reduflex

### Water to water heat exchanger

When using fresh water cooled compressors, it can be necessary to protect the cooling circuit from harmful cooling water. The heat exchanger from Sauer Compressors separate the primary water circuit from the secondary circuit, resulting in highest operational reliability regardless of water conditions.

# **Sauer Compressors Projects**

In addition to offering a wide range of turnkey solutions, Sauer Compressors is ideally equipped to meet highly individual demands. We achieve this by either customising our standard products or by literally going back to the drawing board to design the required specification. We provide explosion proof designs or options that are in accordance with NORSOK, ASME and many other standards.

- Completely new customer specific designs
- Specifications in accordance with international standards
- Standard products easily adapted to customers' needs

# **SAUER**

## **SAUER ComBox container solutions:**

With our ComBox container toolkit we can provide individual high-end container solutions in the shortest time. As Basic, Plus or Offshore version with CSC certification in 10" or 20".





# **SAUER**

# Replicating the sun's fusion energy: The ITER project

Modelled on the sun, the ITER (International Thermonuclear Experimental Reactor) fusion reactor uses nuclear fusion to generate energy in order to secure humanity's supply of electricity in the future. One of the biggest challenges is the high temperature inside the reactor. Technology by Sauer Compressors is a key factor in cooling the reactor: we supplied the world's largest system for helium recovery. Four SAUER WP6305 BasSeal<sup>He</sup> helium compressors ensure recompression of the helium used for cooling. Sauer also supplied all components of the recovery plant, including buffer tanks, filtration system and controls as well as a further SAUER Passat WP156L BasSealHe helium compressor. This is used to recompress any leaks occurring at mechanical seals in the helium circuit.







## Hydrogen for the space industry

There is a high demand for large quantities of hydrogen, especially for the test benches of rocket engines. As this is mainly in liquid form, much of the valuable gas is lost in the necessary cooling process.

Our turnkey solution including two SAUER Hurricane WP4341 BasSeal<sup>H2</sup> recovers 100% of the boil-off gas, compresses it to 350 barg and thus makes it available for various purposes on site. For this innovative installation, we were able to draw on our many years of experience in helium recovery.

Another solution to provide hydrogen for the rocket engine test stands comprises a SAUER WP4335 BasSeal<sup>H2</sup> from the 6000 series, mounted on a transportable base frame together with a filtration system and other accessories.






# 

### Circuit compressors for refrigerant C3F8 for fundamental research at CERN

CERN, the European Organization for Nuclear Research in Geneva/Switzerland, operates the largest particle physics laboratory in the world and with the Large Hadron Collider (LHC) the most powerful particle collider. Detectors investigate the energetic collisions of the LHC and analyse them. One of these detectors is ATLAS (A Toroidal LHC ApparatuS), which focuses on high-energy protonproton collisions and searches for evidence of new physical phenomena, including the origins of mass and extra dimensions.

Seven 2-stage HAUG Sirius compressors with combined water- and air-cooling assure the compression of the perfluoropropane (C3F8) in the refrigeration circuit providing the cooling of the detector down to -20 °C.







## Producing carbon-neutral e-kerosene

To make the dream of climate-neutral air travel come true, aviation fuel can be produced using renewable energies as well as CO<sub>2</sub> and H<sub>2</sub>.

In the world's first (pilot) plant of this kind, a HAUG Neptune is used to compress the atmospheric CO2 as raw material for the green kerosene to a final pressure of 4.5 barg. The CO<sub>2</sub> must not be contaminated under any circumstances. Therefore the unique advantages of the HAUG product line - oil-free, dry-running and hermetically gas-tight - are particularly effective.



# Our Service - As individual as your needs!

We are in it for the long haul! At Sauer Compressors our commitment to our customers does not stop at delivery. Our support spans our products' entire operating life. In this way, we make sure our customers get the most out of their compressed air system – low running costs and maximum reliability. Our highly skilled service technicians, representatives and servicing stations in over 60 countries guarantee an efficient, expert customer service wherever and whenever it is required.



## **Genuine Sauer Spare Parts**

- Extensive central warehouse (all maintenance and regular spare parts in stock)
- Global warehouses strategically located for short delivery times
- High quality genuine spare parts to ensure proper operation and performance of your compressor
- Interchangeability is guaranteed even if technical changes have been made due to technical developments
- Spare parts are guaranteed for at least 35 years after the delivery of your compressor
- All parts come with a "Sauer Certificate of Conformity and Authenticity"

### **Technical After Sales Services:**

- Full service contracts
- Maintenance contracts
- Inspection contracts
- Maintenance at client's facility or in our workshop
- Complete compressor overhauls at our workshop
- Support and advice while changing from third party to our product range

# **Sauer Training**

To keep your technical knowledge up-to-date, Sauer offers numerous comprehensive and practical training courses. The courses can take place either in one of our world-wide training centres or on-site with your own compressor. Divided into various categories, the training provides users, operators, maintenance personnel and service technicians with the knowledge they need – all tailored to your specific requirements.

#### **Training options**

- In-house training
- On-site training
- On-the-job training
- Train the trainer seminars
- Sauer Training Container



service@sauercompressors.de

Sauer Service-Stations: www.sauercompressors.com

## **Rental Solutions**

With final pressures between 30-500 barg and a volume flow from 50 to 400 m<sup>3</sup>/h we provide the best solution for your rental needs.

### Increased cost control


- Minimise costs of new investments
- Lower costs for scheduled and unscheduled maintenance

## Best solution at the right time

Even on short notice access solutions with state-of-the-art compressors and accessories

### Professional and reliable service

Flexible rental options for short-, medium- or long-term use



## Rent without risks

Each rental compressor is well maintained and checked before delivery





# Core advantages

In addition to high-quality compressors, control systems, accessories and services, Sauer Compressors customers benefit from:

## **Engineering assistance**

Through our local representations we can assist engineering teams locally and offer support with regard to integrating our products. In this way, we ensure our customers make the most of their installation.

## **Documentation – Integrated Logistics Support (ILS)**

High-value products and solutions require high-quality documentation. This includes the whole range of Integrated Logistics Support (ILS).

## Factory acceptance tests and third-party inspection

For Sauer Compressors, quality is not a promise – it's a fact! All our compressors are subjected to a 12-hour endurance test at final pressure and issued a high level 3.1 inspection certificate after the final inspection. Upon request, third-party inspections can be performed.

For our helium compressors, we have devised an extensive 16-hour test procedure that is unprecedented in the industry. Both static and dynamic leak rates are tested with the noble gas itself. As a result, operators benefit from 'true' helium compressors providing unparalleled leak tightness.

### Installation and commissioning

Even the best product's performance will suffer if the installation is faulty. Upon request, our expertly trained service technicians will set up the newly acquired Sauer product and integrate it into established systems at our customer's facility. Thanks to our local representations, this service is available anywhere in the world. After the initial setup, the installation is thoroughly tested and finally commissioned. To ensure maximum performance, low operating costs and a long service life, we offer in-house trainings for the operating staff.

### Certifications

ISO 9001:2015









Find your local partner at our global website

www.sauercompressors.com

#### J. P. Sauer & Sohn Maschinenbau GmbH

Brauner Berg 15 24159 Kiel Germany

www.sauercompressors.com

### Sauer Compressors UK Ltd.

Sauer House Lanswood Park, Broomfield Road Elmstead Market, Colchester Essex CO7 7FD United Kingdom www.sauercompressors.co.uk

#### Sauer Compressors Benelux B.V.

Lingewei 3 4004 LK Tiel The Netherlands www.sauercompressors.com

#### **Sauer Compressors Mexico**

Alianza Sur 303 66628 Apodaca, N.L. Mexico

www.sauercompressors.mx

### Sauer Compressors China Ltd.

China Merchants Shanghai Center 4th Floor 68 Bohang Road Shanghai 200120 China

www.sauercompressors.com

### **HAUG Sauer Kompressoren AG**

Industriestrasse 6 9015 St. Gallen Switzerland www.haug.ch

### Sauer Compressori S.r.l.u.

Via Santa Vecchia 79 23868 Valmadrera

www.sauercompressors.com

#### Sauer Compressors USA Inc.

235 Log Canoe Circle Suite E Stevensville, MD 21666 USA

www.sauerusa.com

### Sauer do Brasil Ltda.

Rua Montevideu 327, Penha Rio de Janeiro 21020 – 290 Brasil

www.sauerbrasil.com.br

### Sauer Compressors Singapore

Pall Marc Sauer Compressors Pte. Ltd. 421 Tagore Industrial Avenue #01–15/16, Tagore 8 787805 Singapore

www.sauercompressors.com

### Girodin-Sauer SAS

16 Chemin du Bas des Indes 95240 Cormeilles en Parisis France www.girodin-sauer.com

#### **Sauer Compressors Nordics AB**

Formaregatan 2 572 36 Oskarshamn

www.sauercompressors.com

#### Sauer Compressors Canada

6975 Meadowvale Town Centre Cir #9 Unit #609 Mississauga, ON L5N 2V7 Canada www.sauercanada.ca

#### **ELGI Sauer Compressors Ltd.**

Elgi Industrial Complex-III Trichy Rd, Singanallur Coimbatore, Tamil Nadu 641005 India

www.elgisauer.com